STM-Structure Scarch 4-19-05

10/658,298

=> d ibib abs hitstr

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2004:220202 CAPLUS

DOCUMENT NUMBER:

140:253561

TITLE:

Preparation of 1,2-dihydropyrazol-3-ones and 3-alkoxy-1H-pyrazoles as TNF- $\alpha$  and interleukin lowering agents for the treatment of inflammation

INVENTOR(S):

Dominguez, Celia; Zhang, Dawei; Sham, Kelvin K. C.;

Cao, Guo-giang

PATENT ASSIGNEE(S):

Amgen Inc., USA

SOURCE:

PCT Int. Appl., 63 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.						KIND		DATE		APPLICATION NO.						DATE			
	WO 2004022055					A1 20040318			WO 2003-US28067						20030908				
	WO 2004022055					B1		2005	0113										
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	
			CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	
			GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	
			LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	OM,	PH,	
			PL,	PT,	RO,	RU,	SD,	SE,	SG,	SK,	SL,	TJ,	TM,	TN,	TR,	TT,	TZ,	UA,	
			UG,	UZ,	VN,	YU,	ZA,	ZM,	zw										
		RW:	GH,	GM,	ΚE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	ΑZ,	BY,	
			KG,	ΚZ,	MD,	RU,	ТJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	
			FI,	FR,	GB,	GR,	HU,	ΙE,	IT,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,	TR,	
			BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	TG	
US 2004058918						A1 20040325				US 2003-658298						20030908			
PRIORITY APPLN. INFO.:										. 1	US 2	002-4	4091	76P		P 2	0020	909	
OTHER SOURCE(S):							PAT	140:	2535	61									

GI

AB The invention discloses the preparation of title compds. I and II [wherein R1 = H or alkyl; R2 = alkyl, Ph, PhCH2, (alkyl)Rc, (alkyl)Rf, or Rg; R3 and R4= independently (un) substituted Ph, naphthyl, or heterocyclyl; Rc = independently (un) substituted heterocyclyl; Rf = substituted Rc; Rq = substituted alkyl, Ph, or PhCH2; and pharmaceutically acceptable salts thereof] as tumor necrosis factor  $\alpha$  (TNF $\alpha$ ) and interleukin 1, 6, and 8 (IL-1, IL-6, and IL-8) inhibitors. For example, (4-chlorophenyl)acetic acid was condensed with pyridine-4-carbaldehyde in acetic anhydride and TEA to give 2-(4-chlorophenyl)-3-(pyridin-4yl)acrylic acid, which was esterified with MeOH in thionyl chloride. Cyclization of the acrylate with hydrazine in EtOH, followed by Pd/C catalyzed reduction, afforded 4-(4-chlorophenyl)-5-(pyridin-4-yl)-1,2dihydropyrazol-3-one. Addition of 4-oxopiperidine-1-carboxylic acid tert-Bu ester in chloroform using sodium triacetoxy boron hydride, hydrogenation using Pd/C in EtOH, and deprotection with HCl in ether and dioxane gave III. Selected compds. of the invention inhibited lipopolysaccharideactivated TNF production in THP1 cells with IC50 values of <20  $\mu M$ . disclosed is a method of prophylaxis or treatment of inflammation, rheumatoid arthritis, Paget's disease, osteoporosis, multiple myeloma, uveitis, acute or chronic myelogenous leukemia, pancreatic  $\beta$  cell destruction, osteoarthritis, rheumatoid spondylitis, gouty arthritis, inflammatory bowel disease, adult respiratory distress syndrome (ARDS), psoriasis, Crohn's disease, allergic rhinitis, ulcerative colitis, anaphylaxis, contact dermatitis, asthma, muscle degeneration, cachexia, Reiter's syndrome, type I diabetes, type II diabetes, bone resorption diseases, graft vs. host reaction, Alzheimer's disease, stroke, myocardial infarction, ischemia reperfusion injury, atherosclerosis, brain trauma, multiple sclerosis, cerebral malaria, sepsis, septic shock, toxic shock syndrome, fever, myalgias due to HIV-1, HIV-2, HIV-3, cytomegalovirus (CMV), influenza, adenovirus, the herpes viruses, or herpes zoster infection in a mammal comprising administering an effective amount of I or II or their pharmaceutical compns. (no data). IT

671780-98-6P, 4-(4-Chlorophenyl)-1-[(piperidin-4-yl)methyl]-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671780-99-7P,

CN

4-(4-Chlorophenyl)-1-methyl-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-11-6P, 4-(3,4-Dichlorophenyl)-1-isopropyl-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-24-1P, 4-(Naphthalen-2-yl)-1-(3-phenylpropyl)-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-25-2P, 4-(Naphthalen-2-yl)-1-(3-phenylpropyl)-5-pyridin-1,2-dihydropyrazol-3-one RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(TNFα and/or IL inhibitor; preparation of dihydropyrazolones and alkoxypyrazoles as TNF-α and interleukin lowering agents for treatment of inflammation and related conditions)

RN 671780-98-6 CAPLUS

3H-Pyrazol-3-one, 4-(4-chlorophenyl)-1,2-dihydro-1-(4-piperidinylmethyl)-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)

RN 671780-99-7 CAPLUS CN 3H-Pyrazol-3-one, 4-(4-chlorophenyl)-1,2-dihydro-1-methyl-5-(4-pyridinyl)-(9CI) (CA INDEX NAME)

RN 671781-11-6 CAPLUS
CN 3H-Pyrazol-3-one, 4-(3,4-dichlorophenyl)-1,2-dihydro-1-(1-methylethyl)-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)

RN 671781-24-1 CAPLUS

3H-Pyrazol-3-one, 1,2-dihydro-4-(2-naphthalenyl)-1-(3-phenylpropyl)-5-(4-CN pyridinyl) - (9CI) (CA INDEX NAME)

RN 671781-25-2 CAPLUS

CN3H-Pyrazol-3-one, 1,2-dihydro-4-(2-naphthalenyl)-1-(3-phenylpropyl)-5-(2pyridinyl) - (9CI) (CA INDEX NAME)

REFERENCE COUNT:

19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d re 1-19

L4ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN RE

- (1) Abbott Lab; WO 9951580 A 1999 CAPLUS
- (2) Abbott Lab; WO 0116138 A 2001 CAPLUS
- (3) Asahi Kasei Kogyo Kabushiki Kaisha; US 4268626 A 1981 CAPLUS(4) Aurich, H; CHEMISCHE BERICHTE 1965, V98(12), P3917 CAPLUS
- (5) Boberg, F; JUSTUS LIEBIGS ANNALEN DER CHEMIE 1970, V734, P173 CAPLUS
- (6) Bristol-Myers Squibb Co; WO 0059506 A 2000 CAPLUS
- (7) Capuano, L; CHEMISCHE BERICHTE 1978, V111(7), P2497 CAPLUS
- (8) Downs, J; JOURNAL OF HETEROCYCLIC CHEMISTRY 2001, V38(3), P695 CAPLUS


## 10/658,298

- (9) Dymek, W; ACTA POLONIAE PHARMACEUTICA 1966, V23(4), P339 CAPLUS
- (10) Dymek, W; ACTA POLONIAE PHARMACEUTICA 1967, V24(2), P97 CAPLUS
- (11) Procter & Gamble; WO 03024970 A 2003 CAPLUS
- (12) Procter & Gamble; WO 03080184 A 2003 CAPLUS
- (13) Sandstrom, J; ARKIV FOER KEMI 1960, V15, P195 CAPLUS
- (14) Searle & Co; WO 9852937 A 1998 CAPLUS
- (15) Searle & Co; WO 9852941 A 1998 CAPLUS
- (16) Smithkline Beecham; WO 9856377 A 1998 CAPLUS
- (17) Sterling Drug Inc; EP 0299407 A 1989 CAPLUS
- (18) Sterling Drug Inc; EP 0388690 A 1990 CAPLUS
- (19) Toda, T; HETEROCYCLES 1987, V25(1), P79 CAPLUS

=> d 11

L1 HAS NO ANSWERS

L1 STI



Structure attributes must be viewed using STN Express query preparation.

=> d his

(FILE 'HOME' ENTERED AT 14:00:11 ON 19 APR 2005)

FILE 'REGISTRY' ENTERED AT 14:00:26 ON 19 APR 2005

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 5 S L1 FULL

FILE 'CAPLUS' ENTERED AT 14:01:35 ON 19 APR 2005

L4 1 S L3

=> 'd 11

L1 HAS NO ANSWERS

L1 STR

Structure attributes must be viewed using STN Express query preparation.

## => => d ibib abs hitstr

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:220202 CAPLUS

DOCUMENT NUMBER: 140:253561

TITLE: Preparation of 1,2-dihydropyrazol-3-ones and

3-alkoxy-1H-pyrazoles as TNF- $\alpha$  and interleukin lowering agents for the treatment of inflammation

INVENTOR(S): Dominguez, Celia; Zhang, Dawei; Sham, Kelvin K. C.;

Cao, Guo-qiang

PATENT ASSIGNEE(S): Amgen Inc., USA

SOURCE: PCT Int. Appl., 63 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT	NO.		KINE	D.	DATE			APPL:	CAT:	ION I	DATE				
WO 200	WO 2004022055					10				7000					
						18	V	NO 21	JU3-1	1528	20030908				
WO 2004	1022055		B1	20	.13										
W:	AE, AG,	AL,	AM,	AT, A	AU, A	Z,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
•	CO, CR,	CU,	CZ,	DE, I	DK, D	M,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,
	GM, HR,	HU,	ID,	IL, I	IN, I	S,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,
	LS, LT,	LU,	LV,	MA, N	MD, M	IG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	OM,	PH,
	PL, PT,	RO,	RU,	SD, S	SE, S	G,	SK,	SL,	TJ,	TM,	TN,	TR,	TT,	TZ,	UA,
	UG, UZ,	VN,	YU,	ZA, Z	ZM, Z	W									
RW	GH, GM,	KΕ,	LS,	MW, N	MZ, S	D,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,	ΑZ,	BY,
	KG, KZ,	MD,	RU,	TJ, T	ГМ, А	T,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,
	FI, FR,	GB,	GR,	HU, 1	IE, I	Т,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,	TR,
	BF, BJ,														
US 2004		A1 20040325				US 2003-658298					20030908				
PRIORITY API	).:				τ	JS 20	002-4	1091	P 20020909						
OTHER SOURCE	E(S):		MARPAT 140:253561												

GI

The invention discloses the preparation of title compds. I and II [wherein R1 = AΒ H or alkyl; R2 = alkyl, Ph, PhCH2, (alkyl)Rc, (alkyl)Rf, or Rg; R3 and R4= independently (un) substituted Ph, naphthyl, or heterocyclyl; Rc = independently (un) substituted heterocyclyl; Rf = substituted Rc; Rg = substituted alkyl, Ph, or PhCH2; and pharmaceutically acceptable salts thereof] as tumor necrosis factor  $\alpha$  (TNF $\alpha$ ) and interleukin 1, 6, and 8 (IL-1, IL-6, and IL-8) inhibitors. For example, (4-chlorophenyl)acetic acid was condensed with pyridine-4-carbaldehyde in acetic anhydride and TEA to give 2-(4-chlorophenyl)-3-(pyridin-4yl)acrylic acid, which was esterified with MeOH in thionyl chloride. Cyclization of the acrylate with hydrazine in EtOH, followed by Pd/C catalyzed reduction, afforded 4-(4-chlorophenyl)-5-(pyridin-4-yl)-1,2dihydropyrazol-3-one. Addition of 4-oxopiperidine-1-carboxylic acid tert-Bu ester in chloroform using sodium triacetoxy boron hydride, hydrogenation using Pd/C in EtOH, and deprotection with HCl in ether and dioxane gave III. Selected compds. of the invention inhibited lipopolysaccharideactivated TNF production in THP1 cells with IC50 values of <20 µM. Also disclosed is a method of prophylaxis or treatment of inflammation, rheumatoid arthritis, Paget's disease, osteoporosis, multiple myeloma, uveitis, acute or chronic myelogenous leukemia, pancreatic  $\beta$  cell destruction, osteoarthritis, rheumatoid spondylitis, gouty arthritis, inflammatory bowel disease, adult respiratory distress syndrome (ARDS), psoriasis, Crohn's disease, allergic rhinitis, ulcerative colitis, anaphylaxis, contact dermatitis, asthma, muscle degeneration, cachexia, Reiter's syndrome, type I diabetes, type II diabetes, bone resorption diseases, graft vs. host reaction, Alzheimer's disease, stroke, myocardial infarction, ischemia reperfusion injury, atherosclerosis, brain trauma, multiple sclerosis, cerebral malaria, sepsis, septic shock, toxic shock syndrome, fever, myalgias due to HIV-1, HIV-2, HIV-3, cytomegalovirus (CMV), influenza, adenovirus, the herpes viruses, or herpes zoster infection in a mammal comprising administering an effective amount of I or II or their pharmaceutical compns. (no data).

671780-98-6P, 4-(4-Chlorophenyl)-1-[(piperidin-4-yl)methyl]-5-TΤ (pyridin-4-yl)-1,2-dihydropyrazol-3-one 671780-99-7P, 4-(4-Chlorophenyl)-1-methyl-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-11-6P, 4-(3,4-Dichlorophenyl)-1-isopropyl-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-13-8P, 4-(3,4-Dichlorophenyl)-1isopropyl-2-methyl-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-15-0P, 4-(3,4-Dichlorophenyl)-2-methyl-5-(pyridin-4-yl)-1-[(pyridin-3-yl)methyl]-1,2-dihydropyrazol-3-one 671781-18-3P, 1-Cyclohexylmethyl-4-(3,4-dichlorophenyl)-2-methyl-5-(pyridin-4-yl)-1,2dihydropyrazol-3-one 671781-24-1P, 4-(Naphthalen-2-yl)-1-(3phenylpropyl)-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one 671781-25-2P, 4-(Naphthalen-2-yl)-1-(3-phenylpropyl)-5-pyridin-1,2dihydropyrazol-3-one RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (TNFα and/or IL inhibitor; preparation of dihydropyrazolones and alkoxypyrazoles as  $TNF-\alpha$  and interleukin lowering agents for treatment of inflammation and related conditions) 671780-98-6 CAPLUS RN CN 3H-Pyrazol-3-one, 4-(4-chlorophenyl)-1,2-dihydro-1-(4-piperidinylmethyl)-5-(4-pyridinyl) - (9CI) (CA INDEX NAME)

RN 671780-99-7 CAPLUS
CN 3H-Pyrazol-3-one, 4-(4-chlorophenyl)-1,2-dihydro-1-methyl-5-(4-pyridinyl)(9CI) (CA INDEX NAME)

RN 671781-11-6 CAPLUS CN 3H-Pyrazol-3-one, 4-(3,4-dichlorophenyl)-1,2-dihydro-1-(1-methylethyl)-5(4-pyridinyl) - (9CI) (CA INDEX NAME)

RN 671781-13-8 CAPLUS

CN 3H-Pyrazol-3-one, 4-(3,4-dichlorophenyl)-1,2-dihydro-2-methyl-1-(1-methylethyl)-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)

RN 671781-15-0 CAPLUS

CN 3H-Pyrazol-3-one, 4-(3,4-dichlorophenyl)-1,2-dihydro-2-methyl-5-(4-pyridinyl)-1-(3-pyridinylmethyl)- (9CI) (CA INDEX NAME)

RN 671781-18-3 CAPLUS

CN 3H-Pyrazol-3-one, 1-(cyclohexylmethyl)-4-(3,4-dichlorophenyl)-1,2-dihydro-2-methyl-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)

10/658,298

RN 671781-24-1 CAPLUS

CN 3H-Pyrazol-3-one, 1,2-dihydro-4-(2-naphthalenyl)-1-(3-phenylpropyl)-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)

$$(CH_2)_3 - Ph$$

RN 671781-25-2 CAPLUS

CN 3H-Pyrazol-3-one, 1,2-dihydro-4-(2-naphthalenyl)-1-(3-phenylpropyl)-5-(2-pyridinyl)- (9CI) (CA INDEX NAME)

REFERENCE COUNT:

19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 14:04:55 ON 19 APR 2005)

## 10/658,298

FILE 'REGISTRY' ENTERED AT 14:05:07 ON 19 APR 2005

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 8 S L1 FULL


FILE 'CAPLUS' ENTERED AT 14:05:40 ON 19 APR 2005

L4 1 S L3

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 H,Ak

Structure attributes must be viewed using STN Express query preparation.